ELECTRONICS

CATALOGUE 2012

INTERACTIVE BOARDS
ACCESSORIES
LCD TOUCH SCREENS
E-PEN AND MORE!

Legamaster

We make communication visible

VISUALISE YOUR KNOWLEDGE

Discover the interactive possibilities available from Legamaster.

Our extensive range of interactive products will simply make your presentations even more impressive! By increasing the interactive involvement of your audience, your message will be communicated more clearly - and your presentations more dynamic. To convey knowledge, we need to place it in a convincing context – because seeing is believing.

Professional visualization equipment is vital for the development and presentation of new ideas, concepts and products. With the interactive products from Legamaster, the possibilities are endless. For example, notes from a brainstorming session can be displayed, printed out, edited and even sent via the internet. Our high-precision products ensure that everything is recorded exactly as you presented it. And it goes without saying that they are easy to operate!

Be it in the office, at school, at a conference or training centre: wherever knowledge and information has to be conveyed or passed on, the added value offered by the interactive presentations aids from Legamaster is plain to see.

Need help in selecting the ideal interactive solution from Legamaster?

Our sales teams will be happy to advise you about our possibilities by giving you more information and answering your questions about our interactive products.

You can also reach us 24 hours a day at www.e-legamaster.com

For education

and business

Table of contents

ELECTRONICS	Page
LCD Monitors PROFESSIONAL e-Screen	**5-17**
Monitors	
LCD Monitors	5-8
FLEX mounting systems	
Wall mount	5,7
Wall mount height adjustable Easyspring	9-10
Mobile stand	11-12
Mobile height adjustable stand	11-12
Cabinet	13-14
Wall mount height adjustable component for Cabinet	13-14
Easiteach License	15-16
Accessories	17
Interactive Boards PROFESSIONAL e-Board	**18-30**
Boards	
Boards with integrated receiver	19-20
FLEX mounting systems	
Wall mount height adjustable component	21-22
Mobile stand	23-24
Mobile height adjustable stand	25-26
Column height adjustable system	27-28
FLEX Projector Mounts	29-30
PROFESSIONAL Projection boards FLEX	31-32
Mobile interactive Whiteboard systems	**33-39**
eBeam Edge	33-34
eBeam Complete	33-34
eBeam Engage	35-36
Infowall	37-38
eBeam Stylus	39
Accessories	
PROFESSIONAL e-Tablet	40
e-Visualizer	41
LiveWire	41
eBeam Capture	42
PROFESSIONAL Copyboard	43-44

Legamaster offers the right solution for any situation

To be convincing, your message needs to be clear and visible. To communicate efficiently, you need to be able to see the bigger picture. With its vast range of highly practical, well thought-out products, Legamaster, the name for professional visual communication, has successfully established its place in the market.

The Legamaster range is continually being updated and expanded. We expressly reserve the right to amend the range, the materials and the design, and to make alterations to the available colours and sizes. We cannot be held liable for typographical errors.

More quality products

Order our LEGAMASTER "Classic Media" catalogue by calling (+31) (0)573-713000 or emailing us at info@legamaster.com

"IN THE INTEREST OF THE ENVIRONMENT – FOR THE WORLD OF TOMORROW."

– strategy of edding AG –

As part of the edding group, Legamaster shares the strategic significance edding attaches to Corporate Social Responsibility (CSR). We endorse the edding vision regarding themes as human rights, child labor, discrimination and environment & sustainability. The Legamaster CSR principles are defined in our Code of Conduct.

The concept of CSR goes beyond the local impact of Legamaster's business to our extended supply chain. Legamaster recognizes its social position by imposing requirements on business partners and its own organization when it comes to the supply of Legamaster products and services.

We understand CSR as a continuous process of improvement and adaptation in an ever-changing environment. Our goal is to further develop CSR as a systematic and continuous process, to ensure meaningful changes in the key CSR areas: People, Planet & Profit.

Legamaster has started its CSR journey and will continue to implement initiatives to put its CSR commitment into action.

People

- **Guarantee health and safety at work**
- **Non-discrimination policy**
- **Respect human rights**
- **Cooperation with partners that share the Legamaster values towards CSR**

Planet

- **Energy saving policy**
- **Environment: key aspect in product development process**
- **Video-conferencing: in aid of the environment**
- **Responsible printing-and copying policy**
- **Catalogue: naturally printed FSC certified paper**
- **Respect environmental regulation**

Profit

- **Taking care of our business and the environment**
- **Consistent application of quality management system**

Quality

Legamaster is a worldwide, high value premium brand in the field of visual communication. In order to meet the high standards required for both products and services, we have documented our practice and our quality objectives within a Quality Management System in accordance with ISO 9001:2000.

We have a standardised quality control system in place to keep a constant check on the entire Legamaster production processes.

Legamaster's quality control follows internationally accepted standards and ensures the products work properly, are user friendly and meet safety requirements if required. A Production control and a Final Random Inspection covering visual and functional inspections are also carried out to ensure the constant high quality of Legamaster products. These quality controls use approved methods and tools for quality checks as well as procedures that are individually designed for certain products or product ranges.

In certain cases Legamaster's quality control uses internationally accepted technical institutes or experts for special tests and approval i.e. our Legaline DYNAMIC rail system which carries the safety label TÜV/GS.

Our raw materials are tested to the agreed specification and abilities before they leave our suppliers. They pass an additional inspection in our own quality control procedure before entering into further processes. Where we use component parts from other manufacturers, we commit them to providing us with the appropriate certificates concerning product safety and conformity with safety regulations if existing.

Guarantee

All Legamaster products are designed and manufactured to the highest quality standards. Legamaster products give a high performance level when used for the intended purpose, in accordance with operating instructions and in conjunction with original accessories or other products from the Legamaster range.

Legamaster – Masters in Visualisation

The Legamaster label is part of the internationally renowned edding group, practising and maintaining the philosophy of its parent company. It is a philosophy which ensures the high quality of all its products on the international stage, backed by local distribution and customer support.

The success of this approach is clearly visible: the Legamaster name stands for an even wider selection of products and better service. All under the same roof.

We can meet your personal request!

Production

We have our own production sites in Europe and South-America.

- Production is semi automatic
- Standardised production processes ensure a consistent high quality

Customised solutions

Our Made-to-Measure production expertise means we can meet your own personal requests.

- Can't find what you are looking for in our catalogue? Talk to us!

Logistics

We ensure speedy deliveries within Europe.

- We are consistently optimising the flow of goods and raw materials.
- Thanks to our modern warehouses complete with high stack shelving, we can ensure an organised, speedy turnaround: from the raw material through to the finished product

PROFESSIONAL e-Screen FLEX systems

Interactivity in a new form

The PROFESSIONAL e-Screen series represent the next stage in interactive presentation media. The LCD-touch displays are available in a screen size of 1.40 m (55") or 1.65 m (65"), offering plenty of space for highly striking presentations. With full-HD resolution and a large viewing angle, your presentations will truly wow your audience.

Thanks to their sturdy design and very long service life, the e-Screens are ideal for regular usage and will even withstand intensive use in school. The fanless architecture ensures low maintenance costs.

The high-quality sensor technology used in the new PROFESSIONAL Legamaster e-Screens is not only highly accurate, it also responds quickly and can be operated with a finger or a stylus.

The inbuilt stereo loudspeakers ensure the right sound. What's more, numerous connections allow you to hook up a host of components.

Installation is as easy as it is quick: simply connect the e-Screen to your PC using a USB – that's all there is to it! There is no need to install other drivers.

Product range

When it comes to the monitor frame, you can choose between black or white – select the design goes best with your room or which best suits your own personal taste.

Like all components in the Legamaster FLEX series, the e-Screens can be mounted in different ways. If desired, they can even be fitted with additional side panels, ensuring you have the right set-up whatever your situation.

The following FLEX mounting systems can be selected:

- Wall mount
- Wall mount height adjustable
- Mobile stand
- Mobile stand height adjustable
- Cabinet
- Cabinet height adjustable

High quality down to the finest detail

The PROFESSIONAL e-Screen range is designed and manufactured to the highest quality standards.

TÜV Rheinland

The LCD MONITORS bear the TÜV safety label.

- Best optical touch technology
- Anti-reflective coating
- Fanless design
- Integrated speakers
- Automatic brightness adjustment
- For professional continuous operation

Full HD 1080p

PROFESSIONAL e-Screen 55“

LCD monitor with multi-touch functionality

- The e-Screen offer a durable solution for heavy demand environments like schools, public facilities or corporate environment
- The optical touch technology guarantees precise and fast-response. No calibration is required and the system is compatible with a broad variety of analog/digital PC and video modes
- The optical touch screen technology uses optical sensors to detect the touch point. Any pointing device (finger, stylus, or any other pen-shape object) can be used
- All PROFESSIONAL e-Screens are delivered including ergonomic stylus, 4-er set

	Ref.no.
PROFESSIONAL e-Screen 55“ CTD Black	7-194134
PROFESSIONAL e-Screen 55“ CTD White	7-194133

Legamaster FLEX system

- **Wall fixed mounting component**
  Space saving wall mount that is easy to install. Post-installation fine-tuning of height and leveling. Post-installation lateral shift (200 mm) left/right.
  Ref. no. 7-192200

- **Mounting system**
  You can choose between wall mount height adjustable component, mobile stand, mobile height adjustable stand, cabinet and wall mount height adjustable component for cabinet.

For more information, please contact your Legamaster dealer

ELECTRONICS


→ Dimensions in mm and valid for the PROFESSIONAL e-Screen 55“ in combination with the wall mount 7-192200
20
14 15 16
1 2 3 4 5 6 7 8 9 10 11 12 13 17 18 19

Signal source input 55“	Connector
1	DisplayPort
2	HDMI 1
3	HDMI 2
4	DVI
5	VGA
6	PC Audio in
7	IR Extender
8	Line Out
9	Component
10	Audio for component
11	S-Video
12	Video
13	Audio in
14	RS232C
15	RS485 in
16	RS485 out
17	AC output
18	AC input
19	Power switch
20	Touch USB

SPECIFICATIONS

LCD PANEL	
Brightness	400 cd/m² (typ.)
Contrast ratio	5000:1
Viewing Angle	H: 178° / V: 178°
Response Time	4.5 ms (GTG)
Supported Colours	1.07G
Display Resolution	1920 x 1080 (16:9) full-HD
Display Frame Rate	120Hz
SIGNAL COMPATIBILITY / CONNECTIVITY	
Horizontal / Vertical Frequency (Analog)	23 ~ 92 KHz / 49 ~ 86 Hz
Horizontal / Vertical Frequency (Digital)	15 ~ 94 KHz / 23 ~ 85 Hz
Input Resolution	1920 x 1080 @ 60Hz (Analog) 1920 x 1080 @ 60Hz (Digital)
Connector	DisplayPort / HDMI x 2 / VGA / DVI / IR Extender / Component / S-V / AV
Audio In	PC Audio in / Component Audio in / S-V / AV Audio in
Audio Out	Line out
Communication Port (Transport Protocol)	D-Sub 9 Pin In, RJ45 In/Out (RS232 IN, RS 485 In/Out)
MECHANICAL	
Dimensions	1325.4 x 784.4 x 149 mm / 52.18" x 30.88" x 5.87"
Weight	56 kg / 123.46 lbs
Wall / Arm Mount Type	VESA 400 x 600
Fanless Design	Yes
OSD FUNCTIONS	
OSD Control Function	RS232C, Push Button , IR Remote controller
OSD Language Function	English / Dutch / French / German
Multimedia	PIP / PBP (side by side) / Zoom
Source Auto Detect	Yes
OSD Key Lock Function	Yes
ELECTRICAL	
Power supply	AC100 - 240V (Worldwide), 2A Outlet
Normal Operation	≤ 273 W
Standby	≤ 1 W
TOUCH PANEL	
Interface	USB (type female)
Operating Systems	Windows 7 / Mac OS X (v10,4 & above), Linux (2.6 & above)
SOUND	
Speaker	4Ω / 10 W x 2
OTHER	
Guarantee	3 year SWAP and on-site
Lifespan LCD	50000 - 70000 hours

The lamps in this product contain mercury. Please dispose according to state, Local or federal Law.

Tested To Comply With FCC Standards

PROFESSIONAL e-Screen 65“

LCD monitor with multi-touch functionality

- The e-Screen offer a durable solution for heavy demand environments like schools, public facilities or corporate environment
- The optical touch technology guarantees precise and fast-response. No calibration is required and the system is compatible with a broad variety of analog/digital PC and video modes
- The optical touch screen technology uses optical sensors to detect the touch point. Any pointing device (finger, stylus, or any other pen-shape object) can be used
- All PROFESSIONAL e-Screens are delivered including ergonomic stylus, 4-er set

	Ref.no.
PROFESSIONAL e-Screen 65" Black	7-191110
PROFESSIONAL e-Screen 65" White	7-191101

- Best optical touch technology
- Anti-reflective coating
- Fanless design
- Integrated speakers
- Automatic brightness adjustment
- For professional continuous operation

Full HD 1080p

Legamaster FLEX system

- **Wall fixed mounting component**
  Space saving wall mount that is easy to install. Post-installation fine-tuning of height and leveling. Post-installation lateral shift (200 mm) left/right.
  Ref. no. 7-192200

- **Mounting system**
  You can choose between wall mount height adjustable component, mobile stand, mobile height adjustable stand, cabinet and wall mount height adjustable component for cabinet.

For more information, please contact your Legamaster dealer

ELECTRONICS



Signal source input 65"	Connector
1	RS232C
2	RS485 In
3	RS485 Out
4	HDMI 1
5	HDMI 2
6	VGA
7	PC audio in
8	S-PDIF out
9	Component
10	Audio in (Component)
11	S-Video
12	Video
13	Audio in (S-Video/Video)
14	Touch USB
15	Touch CAL
16	Power switch
17	AC in connector
18	AC out connector

SPECIFICATIONS

LCD PANEL	
Brightness	500 cd/m² (typ.)
Contrast ratio	5000:1
Viewing Angle	H: 178° / V: 178°
Response Time	4.5 ms (GTG)
Supported Colours	1.07G
Display Resolution	1920 x 1080 (16:9) full-HD
Display Frame Rate	120Hz
SIGNAL COMPATIBILITY / CONNECTIVITY	
Horizontal / Vertical Frequency (Analog)	23 ~ 92 KHz / 56 ~ 85 Hz
Horizontal / Vertical Frequency (Digital)	23 ~ 92 KHz / 50 ~ 85 Hz
Input Resolution	1920 x 1080 @ 60Hz (Analog) 1920 x 1080 @ 60Hz (Digital)
Connector	HDMI x 2 / VGA / Component / S-V / AV / DVI with HDMI adapter
Audio In	Mini jack-PC Audio in / Component Audio in / S-V / AV Audio in
Audio Out	S-PDIF out
Communication Port (Transport Protocol)	D-Sub 9 Pin In, RJ45 In/Out (RS232C IN, RS485 In/Out)
MECHANICAL	
Dimensions	1567.6 x 942.6 x 171 mm / 61.72" x 37.11" x 6.73"
Weight	85kg / 187.39lbs
Wall / Arm Mount Type	VESA 400 x 600
Fanless Design	Yes
OSD FUNCTIONS	
OSD Control Function	RS232C, Push Button , IR Remote controller
OSD Language Function	English / Dutch / German / French
Multimedia	PIP / PBP (side by side) / Zoom
Source Auto Detect	Yes
OSD Key Lock Function	Yes
ELECTRICAL	
Power supply	AC100 - 240V (Worldwide), 2A Outlet
Normal Operation	≤ 470 W
Standby	≤ 1 W
TOUCH PANEL	
Interface	USB
Operating Systems	Windows XP / Vista / Windows 7 / Mac OS X (v10.4 & above), Linux (2.6 & above)
SOUND	
Speaker	4Ω / 10 W x 2
OTHER	
Guarantee	3 year SWAP and on-site
Lifespan LCD	50000 - 70000 hours

The lamps in this product contain mercury. Please dispose according to state, Local or federal Law.

Tested To Comply With FCC Standards

- Innovative spring design
- Feather light up & down movement of e-Screen
- Height adjustable over 40 cm (PROFESSIONAL e-Screen 55") or 65 cm (PROFESSIONAL e-Screen 65")

Wall mount height adjustable Easyspring

for PROFESSIONAL e-Screen

- For professional use
- Solid and robust construction
- Easy movable to correct eye-height
- Can be mounted at various levels on a wall
- Design with stainless steel cover
- Designed for safe use

Legamaster FLEX system

A PROFESSIONAL e-Screen FLEX system can be composed of a PROFESSIONAL e-Screen in combination with a wall mount height adjustable Easyspring

55“



65“



Dimensions	Width	Height	Depth
Wall mount height adjustable Easyspring			
55“	760 mm	601 mm	107 mm
65“	925 mm	1060 mm	189 mm

Dimensions	Width	Height	Depth
Wall mount height adjustable Easyspring including PROFESSIONAL e-Screen			
55"	1325 mm	784 mm	257 mm
65"	1568 mm	1060 mm	360 mm

Wall mount height adjustable Easyspring

for PROFESSIONAL e-Screen

	Ref.no.
Wall mount height adjustable Easyspring for PROFESSIONAL e-Screen 55"	7-191009
Wall mount height adjustable Easyspring for PROFESSIONAL e-Screen 65"	7-191109

NEW

Mobile stand

for PROFESSIONAL e-Screen

- Perfect mobility due to the specially designed mobile stand
- Solid and robust construction
- Mobile stand with high stability
- Attractive design
- Easy to move by one person
- User friendly
- Designed for safe use
- Laptop shelf can be set at any height below the board
- Legamaster e-Screen mount ready

- Mobile stand for all PROFESSIONAL e-Screen monitors
- VESA 400 x 600
- Base with 4 castors, including 2 lockable castors
- Comes complete with laptop shelf

- Weight: 33.75 kg
- Floor space: W 1396 mm x D 837 mm

- **Laptop shelf**
  An additional laptop shelf can easily be fitted onto the stand
  Ref.no. 7-194411

NEW

Mobile height adjustable stand

for PROFESSIONAL e-Screen

- Perfect mobility due to the specially designed mobile stand
- Solid and robust construction
- Mobile stand with high stability
- Attractive design
- Easy to move by one person
- User friendly
- Designed for safe use
- Laptop shelf can be set at any height below the board
- Legamaster e-Screen mount ready

- Mobile height adjustable stand for all PROFESSIONAL e-Screen monitors
- Height adjustable within a 55 cm range
- VESA 400 x 600
- Base with 4 castors, including 2 lockable castors
- Comes complete with laptop shelf

- Weight: 77.25 kg
- Floor space: W 1396 mm x D 837 mm

- **Laptop shelf**
  An additional laptop shelf can easily be fitted onto the stand
  Ref.no. 7-194411



Dimensions	Width	Height	Depth
Mobile stand	1396 mm	1793 mm	837 mm

Dimensions	Width	Height	Depth
Mobile stand including PROFESSIONAL e-Screen			
All sizes	1568 mm	1793 mm	837 mm

Mobile stand

for PROFESSIONAL e-Screen

	Ref.no.
Mobile stand for PROFESSIONAL e-Screen, all sizes	7-194211



Dimensions	Width	Max. height	Min. height	Depth
Mobile height adjustable stand	1396 mm	1793 mm	1793 mm	837 mm

Dimensions	Width	Max. height	Min. height	Depth
Mobile height adjustable stand including PROFESSIONAL e-Screen				
All sizes	1568 mm	1850 mm	1793 mm	837 mm

Mobile height adjustable stand

for PROFESSIONAL e-Screen

	Ref.no.
Mobile height adjustable stand for PROFESSIONAL e-Screen 55" CTD	7-194213
Mobile height adjustable stand for PROFESSIONAL e-Screen 55" ETD	7-194214
Mobile height adjustable stand for PROFESSIONAL e-Screen 65" CTD & ETD	7-194215

- Cabinet for all PROFESSIONAL e-Screen monitors
- Side panels are with high quality, scratch resistant enamel board surface. This surface is guaranteed for 25 years when used in combination with Legamaster products/accessories
- Green and grid board side panels have a whiteboard enamel backside

Cabinet

for PROFESSIONAL e-Screen

- For professional use
- Solid and robust construction
- Optimal use of space
- Extra writing space and space for hanging sheets
- Designed for safe use

- Height adjustable within a 61 cm range

Wall mount height adjustable component for cabinet

for PROFESSIONAL e-Screen

- For professional use
- Solid and robust construction
- Height easily (electrically) adjustable to any setting
- Optimal use of space
- Easy to mount
- User friendly
- Designed for safe use

Electrical height adjustable remote control



Dimensions	Width	Height	Depth
Cabinet for PROFESSIONAL e-Screen			
all sizes	4038 mm	1224 mm	264 mm

Cabinet

for PROFESSIONAL e-Screen

	Ref.no.
Cabinet for PROFESSIONAL e-Screen all sizes with white side panels	7-192001
Cabinet for PROFESSIONAL e-Screen all sizes with green side panels	7-192002
Cabinet for PROFESSIONAL e-Screen all sizes with grid side panels	7-192003



Dimensions	Width	Height	Depth
Cabinet height adjustable for PROFESSIONAL e-Screen			
all sizes	4038 mm	1224 mm	414 mm

Dimensions	Width	Min. height	Max. height	Depth
Cabinet electrical height adjustable for PROFESSIONAL e-Screen				
all sizes	4038 mm	1770 mm	2305 mm	640 mm

Wall mount height adjustable component for cabinet

for PROFESSIONAL e-Screen

	Ref.no.
Wall height adjustable component for cabinet for PROFESSIONAL e-Screen all sizes	7-192004
Wall electric height adjustable component for cabinet for PROFESSIONAL e-Screen all sizes	7-192005

- Available for users in a wide variety of languages
- Multi-platform compatible with a wide variety of hardware equipment
- Media bank
- Multi-touch
- Record sound and video
- Text-to-speech capabilities
- Handwriting and Shape Recognition
- Widget bank
- Easily-accessible toolbars
- Language tools
- Numeracy tools
- Content packs

Easiteach license

Easiteach Next Generation is a complete whole class teaching and learning application that puts users in the driving seat for creating and delivering engaging lessons and resources. The tools within Easiteach are rich and powerful but easy to use, removing barriers and allowing teachers and students to make the most of their classroom hardware such as PROFESSIONAL interactive whiteboards and LCD monitors, projectors and multimedia tables. Built-in widgets and multimedia assets in a range of topic areas help fuel ideas and bring lessons to life. Create and prepare resources well in advance of lessons to use Easiteach as a high-end narration tool to support classes.

A powerful and flexible software application for creating and delivering motivational, interactive lessons, Easiteach provides a wide range of cross-curricular teaching tools in both primary and secondary contexts.

Users can combine animations, video, flash files, text or number based activities all within a single document.

Easiteach has been designed specifically for education and whole-class teaching, and can be used throughout schools across a wide range of subjects.

Easiteach Next Generation already has a raft of key features, but as an ongoing development these are being added to and updated all the time.





Easiteach license

	Minimum	Recommended
Operating system	Standalone computers using Windows® XP SP3 (32 Bit), Windows Vista™ (32 or 64 Bit) or Windows 7 (32 or 64 Bit). Mac OS 10.5.8, 10.6.4 (Intel)	Standalone computers using Windows 7 (32 or 64 Bit)
Processor	Windows: 1.8 GHz+ Mac: 2 GHz+	2.5 GHz+
Memory	Windows: 512 MB Mac: 1 GB	1 GB
Storage	500 MB (plus 200 MB per extra voice installed)	1 GB (plus 200 MB per extra voice installed)
Graphics card	64 MB	256 MB
Screen	1024 x 768	1024 x 768 or above

	Ref.no.
DVD Easiteach software box	7-192300
Single User license for Easiteach software	7-192400
Five User license for Easiteach software	7-192500
Site license for Easiteach software	7-192600
DVD Easiteach software box for MAC	7-192700

Prerequisites:

- **Windows®**
  - Microsoft® .Net Framework 3.5 SP1
  - Microsoft® .Net Framework 4 Client Profile
  - Microsoft® Visual C++ 2010 Redistributable
  - Adobe® Flash Player v10 for non-Internet Explorer® browsers
  - Windows® Media Player 11 or above
  - OGG Video / Audio Codec

- **MAC**
  - XiphQT(decoders).component v 0.1.9
  - XiphQT.component v 0.1.9
  - ffmpeg2theora v 0.27
  - Adobe® Flash Player v 10
  - Flip4Mac

- Moist, disposable e-Cleaner wipes
- For regular, thorough cleaning of touch monitor applications (e.g. e-Screens, LCD screens as well as regular computer screens)
- Anti-bacterium and hygienic
- Fingerprints vanish easily
- Streak-free cleaner
- Detergent surfactant in alcohol solution – biodegradable
- Tissues are dispensed one by one
- Quick drying
- Dispenser
- Cash and carry product

e-Cleaner

for PROFESSIONAL e-Screen

Fingers leave bacteria and viruses on the working surface of multi-touch screens. Effective protection against e.g. bacteria is offered by Legamaster e-Cleaner. Legamaster e-Cleaner wipes off finger stains effortlessly; leaving a clean, smooth and hygienic e-Screen surface. Without leaving traces. Best cleaning wipes for all PROFESSIONAL e-Screen products. A complementary must-have for each e-Screen.

	Ref.no.
e-Cleaner for PROFESSIONAL e-Screen	7-121600

- Greater precision touch
- The tip will not scratch the surface
- No more finger stress

Ergonomic stylus

for PROFESSIONAL e-Screen

The ergonomic stylus is a marker shaped instrument for use with touch screens. The stylus has an ergonomic finger grip allowing for a great precision touch. In comparison to finger touch the stress on the fingers is largely reduced when using a stylus.

The stylus is a safe and accurate way of touching the screen. One places a stylus on the surface of the screen to draw or make selections by tapping the stylus on the screen.
The stylus are packed per 4.

	Ref.no.
Ergonomic Stylus for PROFESSIONAL e-Screen, 4 set	7-192100

PROFESSIONAL e-Board FLEX systems

We think from our customers' perspective:
Every situation is unique.

Every boardroom and classroom is unique, and every user has a different interactive purpose. To cater for these different situations and preferences, Legamaster offers the new PROFESSIONAL e-Board FLEX interactive board systems.

The FLEX assortment can be recognised by its versatility and flexibility, and offers a solution for every situation and purpose!

Create the board that suits you best!

The new assortment gives you the opportunity to create an interactive board in a few simple steps. No more standardised interactive boards, but a solution that can be adjusted to suit your own situation.

The following elements can be selected:

PROFESSIONAL e-Board:
- 4:3 or 16:10 widescreen format
- Board size
- Several options for the surface of the board
- Side panels
- Several options for the surface of the side panels
- Short or long marker tray

High quality down to the finest detail

The PROFESSIONAL e-Board FLEX assortment is designed and manufactured to the highest quality standards. Legamaster's quality control meets internationally accepted standards and ensures that the e-Boards work properly and are user-friendly. All elements of the PROFESSIONAL FLEX system are made from high-quality material.

FLEX assortment

Over the next few pages, view the various mounting options in the PROFESSIONAL e-Board FLEX assortment, each with its own unique aspects and components.

When selecting your PROFESSIONAL e-Board FLEX system, you can also use our online board selector, which you can find on www.e-legamaster.com

The following FLEX mounting systems can be selected:

- Wall mount
- Wall mount height adjustable
- Mobile stand
- Mobile stand height adjustable
- Column height adjustable

The PROFESSIONAL e-Board comes with a 25-year guarantee for the enamel steel board surface(s).



- Pen-based interactive board with short marker tray
- Can be mounted to the wall, on a wall height adjustable system, on a mobile stand, mobile height adjustable stand or column height adjustable system
- Enamel steel projection surface
- Frame in natural anodised aluminum
- With integrated receiver
- To be used in combination with short throw projectors
- Also available with hybrid board surface
- Marker tray (20 cm) included
- Wall fixed mounting material included

PROFESSIONAL e-Board

Interactive board, pen-based

- Very accurate pen-based interactive system
- The projection board is without „hot spots“
- Writeable with any board marker
- World‘s hardest surface material
- The e-Board can be used as a normal, interactive board and projection board
- Hot keys on receiver: new page, duplicate page, print page, send, record and calibrate
- Handwriting recognition software
- Comes complete with strong and powerful user-friendly eBeam software available in the languages: English, French, German, Dutch, Italian, Spanish, Japanese, Arabic, Swedish, Danish, Hungarian and Portugese
- Legamaster offers a 25 year guarantee on the board surface when used in combination with Legamaster accessories
- Subtle integrated interactive solution, only one sensor on the left hand side
- You can choose between a projection or a hybrid board surface

Side panels for e-Board 77“ and 88“

You can choose between durable enamel steel whiteboard, green board or grid board surface. All side panels have a whiteboard enamel steel backside. Legamaster offers a 25 year guarantee on all side panels when used in combination with Legamaster accessories

CUSTOMISE YOUR OWN LEGAMASTER SYSTEM

- **Mounting system FLEX**
  You can choose between a wall mount height adjustable component, mobile stand, mobile height adjustable stand and column height adjustable system
- **Long marker tray**
  Extra long marker tray, 1 meter, ref.no. 7-195511
- **Projector mounts FLEX**
  Legamaster offers a variety of Projector arms for short throw projectors. See datasheet „Projector mounts“ for more information

For more information, please contact your Legamaster dealer



e-Board size	Projection format	Projection diagonal	Projection size	Internal board size	External board size
		(C)	Height (B1) x Width (D)	Height (B1) x Width (B2)	Height (A1) x Width (A2)
e-Board 77"	77" / 4:3	196.64 cm / 77.4"	118 x 157 cm	118 x 164 cm	122 x 168 cm
e-Board 99"	99" / 4:3	251.64 cm / 99"	151 x 201 cm	151 x 208 cm	155 x 212 cm
e-Board 88"	88" / 16:10	222.64 cm / 87.7"	118 x 189 cm	118 x 196 cm	122 x 200 cm
e-Board 112"	112" / 16:10	284.90 cm / 112"	151 x 242 cm	151 x 249 cm	155 x 253 cm

PROFESSIONAL e-Board

Interactive board, pen-based

	Projection board surface ref.no.	Hybrid board surface ref.no.
PROFESSIONAL e-Board 77"	7-195123	7-195133
PROFESSIONAL e-Board 99"	7-195125	7-195135
PROFESSIONAL e-Board 88"	7-195124	7-195134
PROFESSIONAL e-Board 112"	7-195126	7-195136

	Whiteboard surface ref.no.	Green board surface ref.no.	Grid board surface ref.no.
Side panel set for PROFESSIONAL e-Board 77"	7-195313	7-195323	7-195333
Side panel set for PROFESSIONAL e-Board 88"	7-195314	7-195324	7-195334

Minimum system requirements:

- Available USB or Bluetooth® port
- 40 MB available hard drive space

- **Windows®**
  - At least a Pentium IV processor 1.4GHz, with 512 MB RAM
  - Windows XP/ Windows Vista/ Windows 7

- **MAC**
  - Macintosh® PowerPC™/ Intel™/400MHz+
  - Mac OS X 10.4 and above

- **Comes complete with:**
  - Digital ready upgrade module
  - Stylus (AAA battery included)
  - Software
  - Cover plate removal tool
  - USB cable

Wall mount height adjustable component

for PROFESSIONAL e-Board

- Easy to mount
- Optimal use of space
- Designed for safe use
- User friendly
- Low-to-no vibration which is perfect for a steady interactive working environment
- The board has got a very quiet operation. The e-Board can be raised and lowered easily and silently due to the robust and stable spring mechanism

- Height adjustable within a 60 cm range
- Comes with long marker tray, 1 meter

Legamaster FLEX system

A PROFESSIONAL e-Board FLEX system can be composed of a PROFESSIONAL e-Board, a wall mount height adjustable component and a projector arm





Dimensions	Width	Max. Height	Depth
Wall mount height adjustable component	1000 mm	1300 mm	186 mm

Dimensions	Width	Max. Height	Depth
Wall mount height adjustable component including e-Board			
77"	1680 mm	1300 mm	209 mm
99"	2120 mm	1550 mm	209 mm
88"	2000 mm	1300 mm	209 mm
112"	2530 mm	1550 mm	209 mm

Wall mount height adjustable component

for PROFESSIONAL e-Board

	Ref.no.
Wall height adjustable component for PROFESSIONAL 77" e-Board	7-195212-01
Wall height adjustable component for PROFESSIONAL 77" e-Board with side panels	7-195212-02
Wall height adjustable component for PROFESSIONAL 99" e-Board	7-195212-03
Wall height adjustable component for PROFESSIONAL 88" e-Board	7-195212-04
Wall height adjustable component for PROFESSIONAL 88" e-Board with side panels	7-195212-05
Wall height adjustable component for PROFESSIONAL 112" e-Board	7-195212-06

Mobile stand

for PROFESSIONAL e-Board

- Perfect mobility due to the specially designed mobile stand
- Solid and robust construction
- Mobile stand with high stability
- Attractive design
- Easy to move by one person
- User friendly
- Designed for safe use
- Laptop shelf can be set at any height below the board
- Legamaster e-Board mount ready
- Legamaster projector mount ready

- Mobile stand for all PROFESSIONAL e-Boards
- Base with 4 castors, including 2 lockable castors

- Weight: 42.10 kg
- Floor space: W: 1847 mm x D 837 mm

Legamaster FLEX system

A PROFESSIONAL e-Board FLEX system can be composed of a PROFESSIONAL e-Board, a mobile stand and a projector arm



Dimensions	Width	Height	Depth
Mobile stand	1847 mm	1793 mm	837 mm

Dimensions	Width	Height	Depth
Mobile stand including PROFESSIONAL e-Board			
77"	1847 mm	1920 mm	837 mm
99"	2120 mm	2250 mm	837 mm
88"	2000 mm	1920 mm	837 mm
112"	2530 mm	2250 mm	837 mm

Mobile stand

for PROFESSIONAL e-Board

	Ref.no.
Mobile stand for PROFESSIONAL e-Board all sizes	7-195221



Mobile height adjustable stand

for PROFESSIONAL e-Board

- Perfect mobility due to the specially designed mobile stand
- Solid and robust construction
- Mobile stand with high stability
- Attractive design
- Easy to move by one person
- User friendly
- Designed for safe use
- Laptop shelf can be set at any height below the board
- Legamaster e-Board mount ready
- Legamaster projector mount ready

- Mobile height adjustable stand for all PROFESSIONAL e-Boards
- Base with 4 castors, including 2 lockable castors

- Weight: 83.80 kg
- Floor space: W: 1847 mm x D 837 mm

Legamaster FLEX system

A PROFESSIONAL e-Board FLEX system can be composed of a PROFESSIONAL e-Board, a mobile height adjustable stand and a projector arm



Dimensions	Width	Max. Height	Min. Height	Depth
Mobile height adjustable stand	1847 mm	1893 mm	1893 mm	837 mm

Dimensions	Width	Max. Height	Min. Height	Depth
Mobile height adjustable stand				
77"	1847 mm	2020 mm	1893 mm	837 mm
99"	2120 mm	2350 mm	1893 mm	837 mm
88"	2000 mm	2020 mm	1893 mm	837 mm
112"	2530 mm	2350 mm	1893 mm	837 mm

Mobile height adjustable stand

for PROFESSIONAL e-Board

	Ref.no.
Mobile height adjustable stand for PROFESSIONAL e-Board 77"	7-195230
Mobile height adjustable stand for PROFESSIONAL e-Board 77" with side panels	7-195231
Mobile height adjustable stand for PROFESSIONAL e-Board 99"	7-195232
Mobile height adjustable stand for PROFESSIONAL e-Board 88"	7-195233
Mobile height adjustable stand for PROFESSIONAL e-Board 88" with side panels	7-195234
Mobile height adjustable stand for PROFESSIONAL e-Board 112"	7-195235



Column height adjustable system

for PROFESSIONAL e-Board

- The PROFESSIONAL e-Board slides vertically
- Low-to-no vibration which is perfect for a steady interactive working environment
- The e-Board has got a very quiet operation and it can be raised and lowered easily and silently due to the robust and stable columns
- Optimal use of space
- User friendly
- The sliding mechanism is concealed inside the columns, which provides a safe working environment
- Legamaster PROFESSIONAL e-Board mount ready
- Legamaster projector mount FLEX ready

- Column system for PROFESSIONAL e-Boards
- Board can be lowered to 60 cm from the floor
- Includes 150 cm long marker tray
- Up & down movement of PROFESSIONAL e-Board
- Column size: Max. 275 cm height

Legamaster FLEX system

A PROFESSIONAL e-Board FLEX system can be composed of a PROFESSIONAL e-Board, a column height adjustable system and a projector arm



Dimensions	Width	Height	Depth
Column height adjustable system	1620 mm	2750 mm	170 mm

Dimensions	Width	Height	Depth
Column height adjustable system including PROFESSIONAL e-Board			
77"	1680 mm	2750 mm	270 mm
99"	2120 mm	2750 mm	270 mm
88"	2000 mm	2750 mm	270 mm

Column height adjustable system for PROFESSIONAL e-Board 77"	Ref.no.
Column HA for PROFESSIONAL e-Board 77" for Hitachi ED A220N	7-195250-01
Column HA for PROFESSIONAL e-Board 77" for Optoma EX605 / 610ST	7-195250-01
Column HA for PROFESSIONAL e-Board 77" for BenQ MP772ST	7-195250-02
Column HA for PROFESSIONAL e-Board 77" for 3M SCP 725	7-195250-02
Column HA for PROFESSIONAL e-Board 77" for 3M SCP 716	7-195250-03
Column HA for PROFESSIONAL e-Board 77" for BenQ 880 UST	7-195250-03
Column HA for PROFESSIONAL e-Board 77" for Sanyo PDG DWL 2500	7-195250-03
Column HA for PROFESSIONAL e-Board 77" for Hitachi ED A101	7-195250-03
Column HA for PROFESSIONAL e-Board 77" for NEC U250 XG	7-195250-03
Column HA for PROFESSIONAL e-Board 77" for 3M SCP 725/716 with 3M folding wall mount	7-195250-04
Column HA for PROFESSIONAL e-Board 77" for NEC U250 XG with NEC wall mount	7-195250-04
Column height adjustable system for PROFESSIONAL e-Board 77" with side panels	**Ref.no.**
Column HA for PROFESSIONAL e-Board 77" with side panels for Hitachi ED A220N	7-195250-08
Column HA for PROFESSIONAL e-Board 77" with side panels for Optoma EX605 / 610ST	7-195250-08
Column HA for PROFESSIONAL e-Board 77" with side panels for BenQ MP772ST	7-195250-09
Column HA for PROFESSIONAL e-Board 77" with side panels for 3M SCP 725	7-195250-09
Column HA for PROFESSIONAL e-Board 77" with side panels for 3M SCP 716	7-195250-10
Column HA for PROFESSIONAL e-Board 77" with side panels for BenQ 880 UST	7-195250-10
Column HA for PROFESSIONAL e-Board 77" with side panels for Sanyo PDG DWL 2500	7-195250-10
Column HA for PROFESSIONAL e-Board 77" with side panels for Hitachi ED A101	7-195250-10
Column HA for PROFESSIONAL e-Board 77" with side panels for NEC U250 XG	7-195250-10
Column HA for PROFESSIONAL e-Board 77" with side panels for 3M SCP 725/716 with 3M folding wall mount	7-195250-11
Column HA for PROFESSIONAL e-Board 77" with side panels for NEC U250 XG with NEC wall mount	7-195250-11
Column height adjustable system for PROFESSIONAL e-Board 88"	**Ref.no.**
Column HA for PROFESSIONAL e-Board 88" for Mitsubishi WD380U-EST	7-195250-04
Column HA for PROFESSIONAL e-Board 88" for Sanyo PLC WXL 46	7-195250-04
Column HA for PROFESSIONAL e-Board 88" for Epson EMP 400W	7-195250-05
Column HA for PROFESSIONAL e-Board 88" for Epson EB450W	7-195250-05
Column HA for PROFESSIONAL e-Board 88" for 3M SCP 716W	7-195250-05
Column HA for PROFESSIONAL e-Board 88" for Sanyo PDG DWL 2500	7-195250-05
Column HA for PROFESSIONAL e-Board 88" for Epson EB450W with Epson sliding plate wall mount	7-195250-05
Column HA for PROFESSIONAL e-Board 88" for NEC U260W / U310W	7-195250-05
Column HA for PROFESSIONAL e-Board 88" for Vivitek D795WT	7-195250-06
Column HA for PROFESSIONAL e-Board 88" for 3M SCP 716W with 3M folding wall mount	7-195250-07
Column HA for PROFESSIONAL e-Board 88" for NEC U260W / U310W with NEC wall mount	7-195250-07
Column height adjustable system for PROFESSIONAL e-Board 88" with side panels	**Ref.no.**
Column HA for PROFESSIONAL e-Board 88" with side panels for Mitsubishi WD380U-EST	7-195250-12
Column HA for PROFESSIONAL e-Board 88" with side panels for Sanyo PLC WXL 46	7-195250-12
Column HA for PROFESSIONAL e-Board 88" with side panels for Epson EMP 400W	7-195250-13
Column HA for PROFESSIONAL e-Board 88" with side panels for Epson EB450W	7-195250-13
Column HA for PROFESSIONAL e-Board 88" with side panels for 3M SCP 716W	7-195250-13
Column HA for PROFESSIONAL e-Board 88" with side panels for Sanyo PDG DWL 2500	7-195250-13
Column HA for PROFESSIONAL e-Board 88" with side panels for Epson EB450W with Epson sliding plate wall mount	7-195250-13
Column HA for PROFESSIONAL e-Board 88" with side panels for NEC U260W / U310W	7-195250-13
Column HA for PROFESSIONAL e-Board 88" with side panels for Vivitek D795WT	7-195250-14
Column HA for PROFESSIONAL e-Board 88" with side panels for 3M SCP 716W with 3M folding wall mount	7-195250-15
Column HA for PROFESSIONAL e-Board 88" with side panels for NEC U260W / U310W with NEC wall mount	7-195250-15

Projector mounts

for PROFESSIONAL e-Board and PROFESSIONAL Projection board FLEX

- A solution for short throw projectors because of the modular build
- High precision fine tuning so even the most sensitive projectors can be tuned
- Pipe opening is large enough for cable management of the projector
- Minimalist design with triangle shaped elements
- In distinguished grey metallic color combination

- 3 mounting systems:
  - Wall mount projector arm for wall fixed boards
  - Projector mount for mobile and height adjustable interactive systems
  - Projector mount to fit third party projector wall mounts to a Legamaster FLEX interactive system
- Fits all PROFESSIONAL e-Board FLEX systems
- Can be used in combination with PROFESSIONAL Projection board FLEX
- Comes as a complete set with assembly materials and clear mounting instructions

FLEX product selector

For easy selection of a FLEX interactive system in combination with a specific projector. You will be guided step-by-step to a complete system.

Please visit: www.e-legamaster.com



Projector mounts

for PROFESSIONAL e-Board

System 1: Wall mount FLEX

This system is ideal for use in combination with wall mounted boards at fixed height.

System 2: Projector mount FLEX

This system is the replacement for the current projector arms that fit to all height adjustable, stand and column systems of Legamaster.

System 3: Projector mount FLEX for Third Party Wall mounts

Recent development shows that a number of well-known projector manufacturers have developed wall mounts for their devices. In order to mount onto Legamaster FLEX systems, we have developed a specific projector mount for these Third Party Wall Mounts (TPWM). This system fits on all Legamaster height adjustable, stand and column systems.

FLEX product selector

For easy selection of a FLEX interactive system in combination with a specific projector. You will be guided step-by-step to a complete system.

Please visit: www.e-legamaster.com

- High quality, scratch resistant enamel projection surface
- 4:3 or 16:10 widescreen format
- 77“, 88“ and 99“ board sizes available

PROFESSIONAL Projection board FLEX

- Perfect for projection with a/v projector
- Good image and contrast quality: No “hotspot” visible when projecting with average a/v projector
- Aluminum frame with light grey plastic corner caps
- Baked enamel finish (fired at 800°C), which results in a very durable surface
- Easy wall mounting with concealed slot system
- Particularly well suited for long term use
- Long or short marker tray

Optionally:
PROFESSIONAL Hybrid Board

The Hybrid version of the PROFESSIONAL Board FLEX is an optimal multi-functional solution in environments where whiteboards and projectors both are frequently used.

For more information about this board, please contact your Legamaster dealer.

Suitable for use in combination with eBeam Edge and the electronic pen (stylus)

See page „eBeam Edge“ for more information

CUSTOMISE YOUR OWN LEGAMASTER SYSTEM

- **Mounting system FLEX**
  You can choose between a wall mount height adjustable component, mobile stand, mobile height adjustable stand and column height adjustable system
- **Side panels**
  You can choose between durable enamel steel whiteboard, green board or grid board surface. All side panels have a whiteboard enamel steel backside. Legamaster offers a 25 year guarantee on all side panels when used in combination with Legamaster accessories
- **Marker tray**
  Long or short marker tray
  Extra long marker tray, 1 meter, ref.no. 7-195511

For more information, please contact your Legamaster dealer



Dimensions	Projection format	External dimensions	Internal dimensions
Projection board FLEX 77“	77" / 4:3	120 x 168 cm	118 x 164 cm
Projection board FLEX 99“	99" / 4:3	155 x 212 cm	151 x 208 cm
Projection board FLEX 88“ W	88" / 16:10	122 x 200 cm	118 x 196 cm

PROFESSIONAL Projection board FLEX

	Ref.no.
PROFESSIONAL Whiteboard FLEX 77"	7-190002
PROFESSIONAL Whiteboard FLEX 99"	7-190003
PROFESSIONAL Whiteboard FLEX 88"	7-190004
PROFESSIONAL Projection board FLEX 77"	7-190012
PROFESSIONAL Projection board FLEX 99"	7-190013
PROFESSIONAL Projection board FLEX 88"	7-190014
PROFESSIONAL Hybrid board FLEX 77"	7-190022
PROFESSIONAL Hybrid board FLEX 99"	7-190023
PROFESSIONAL Hybrid board FLEX 88"	7-190024

10 good reasons for eBeam®

1. Secure and reliable hardware
2. Durable, wear-resistant
3. Sophisticated technology
4. Hardware easy to intergrate
5. A range of possibilities
6. Licence-free software
7. Free update service (no hidden extras)
8. Distribution worldwide
9. Easy-to-learn software
10. Easy to use, ergonomic design

USB connection

eBeam Edge

- The world's smallest mobile interactive whiteboard system
- Transforms any existing (classroom) whiteboard into an interactive workspace
- Place the eBeam Edge on your board, install the software and control your computer from the whiteboard area using the eBeam Edge stylus, an interactive pen with built-in mouse functions
- Grab the attention of your audience with dynamic and media-rich presentations and lessons and engage them with hands-on interaction at the board
- eBeam Edge is the most fully-featured and smallest mobile interactive whiteboard system on the market
- This small, light weight and well designed system fits comfortably in any laptop case
- The eBeam Edge works with standard projectors and both Windows® and Macintosh® computers
- Integrated receiver magnets make attaching it to a steel surface quick and easy
- Comes complete with stainless steel mounting plates for non-magnetic surfaces and allows the receiver to be placed in exactly the same location which reduces the need for calibration
- One button calibration
- Three-button stylus with left and right click and instant access to eBeam software tools
- Available for educational, as well as business users. eBeam for business (with Workspace software) is delivered with LiveWire. With LiveWire, the software can be used without installation on the computer

- **Comes complete with:**
  - eBeam Edge USB receiver
  - eBeam Edge Stylus
  - AAA battery
  - 2 mounting plates
  - CD with eBeam interact software (for Education)
  - LiveWire unit with eBeam Workspace software (for Business)
  - Handwriting recognition software (for education)
  - USB cable (5m)
  - Wrist-cord
  - Dimensions (Height x Width x Dept): 20 cm x 4 cm x 1 cm
  - Unit weight (approximately): 110 gram
  - Projected image area: up to 123"
  - Connection: USB Cable

Optionally:

Complete your eBeam Edge with a Capture Pack

eBeam Complete Education

eBeam Complete Business



SPECIFICATIONS	
User benefit	Smallest mobile interactieve whiteboard system in the world
Operating systems	Windows® 2000 / XP, Vista / Tablet PC, Windows® 7 and MAC
Software version	Interactive 2.3
Software languages for Windows	English, French, German, Dutch, Italian, Spanish, Japanese, Arabic, Swedish, Danish, Hungarian, Portuguese (some versions are only in version 1.3 available)
Software user licenses	Unlimited
NetMeeting compatible	Yes
Mouse mode	Yes
eBeam mouse stylus	eBeam Edge stylus with built-in mouse functions
Battery type	1 AAA battery
Battery life	90 hours of writing time
Low battery monitor	Yes
Power supply	Yes, via USB
Cable to computer	4.5 meter
Max. active board area	1.50 m 2.40 m
Min. active board area	0.28 m x 0.43 m
Supported file formats	JPEG, TIFF, HTML, PDF, Vector PDF, EPS, BMP, WBD, swf
Calibration	9 point calibration
Computer connection	USB
Meeting notes import	Yes
Internet meeting server	Yes
Internet protocol	default via port 80- can be customized
Max. users for LAN/internet	10/25 (more if used by Netmeeting)
Hardware guarantee	2 years warranty

	Ref.no.
eBeam Edge Education USB	7-164700
eBeam Edge Business USB	7-164600
eBeam Edge Education Bluetooth	7-164500
eBeam Edge Business Bluetooth	7-164400
eBeam Complete Education USB	7-164800
eBeam Complete Business USB	7-163600
eBeam Complete Education Bluetooth	7-164900
eBeam Complete Business Bluetooth	7-163700

System requirements:

- CD-ROM drive or Internet connection (for software installation)
- Internet connection (for participating in shared meetings or extended clip art gallery)
- One available USB port or Bluetooth® connection
- Digital projector attached to computer
- At least a Pentium™ IV processor, 1.4 GHz, with 512 MB RAM
- Windows® 2000/XPTablet PC, Vista, Windows® 7
- 40 MB available hard drive space
- Available USB or Bluetooth® port
- Mac OS X 10.4.x and above
- 1.42 GHz G4 PowerPC
- 1 GB RAM
- 25 MB available hard drive space

10 good reasons for eBeam®

1. Secure and reliable hardware
2. Durable, wear-resistant
3. Sophisticated technology
4. Hardware easy to intergrate
5. A range of possibilities
6. Licence-free software
7. Free update service (no hidden extras)
8. Distribution worldwide
9. Easy-to-learn software
10. Easy to use, ergonomic design

USB connection

eBeam Engage

Classroom education technology

- With eBeam Engage you could transform every existing classroom whiteboards and walls into interactive teaching spaces. Installation takes minutes and requires no special tools
- Effectively engage, share and capture knowledge and ideas
- Smoother workflow process and seamless presentations
- eBeam Engage eliminates the back and forth between the computer and interactive whiteboard and enables teachers to focus on what's important: engaging students
- eBeam Engage includes the eBeam Home button, which can be customized with favorite Web sites, applications and more, allowing presenters to jump to their favorite selections right from the board. In addition, a physical knob for scrolling through documents directly from the board, something no other interactive whiteboard on the market can claim
- The unit can be moved from room to room for added flexibility
- Three-button stylus with left and right click and instant access to eBeam software tools
- Ultra-responsive sensor for realistic writing and drawing experience
- Free software and firmware updates

- A multimedia interactive whiteboard console, which features a speaker by JBL, a one-touch sound recording mechanism, a magnetic wireless keyboard and a lightweight stylus integrated into a single console for seamless presentations
- Ebeam Engage, when paired with a projector and PC (Windows or Mac), transforms any flat surface into a multimedia environment
- Integrated speakers enable instructors to incorporate podcasts and other audio into a presentation
- A built-in wireless keyboard allows users to enter text for web searches, annotation, and more, all from the front of the room. Microphones and recording capabilities are also built into the unit
- Other features include: a scroll knob for rolling through interactive white-board content; a calibration button; volume controls; a lightweight stylus; USB ports; and line-in/out jacks for peripheral devices
- The eBeam Engage software features a home page that works like a cell phone screen, with customizable shortcuts that provide quick access to applications, websites and com-monly used tools
- The eBeam Engage works with standard projectors and both Windows® and Macintosh® computers


whiteboard
(eBeam engage can be mounted to any existing whiteboard or flat surface)
projection
(eBeam engage works up to 5x9')
projector
eBeam engage
(locked on board with mounting plate, can be placed on either side of board)
keyboard
(attachable to whiteboard or mounting plate magnetically)
computer
(mac and pc os, with software to help teachers prepare and present customized lessons)
power outlet

SPECIFICATIONS	
User benefit	Quickly transforms any whiteboard into a multimedia environment
Operating systems	Windows® 2000 / XP, Vista / Tablet PC, Windows® 7 and MAC
Software version	Interactive 2.3
Software languages for Windows	English, French, German, Dutch, Italian, Spanish, Japanese, Arabic, Swedish, Danish, Hungarian, Portuguese (some versions are only in version 1.3 available)
Software user licenses	Unlimited
NetMeeting compatible	Yes
Mouse mode	Yes
eBeam mouse stylus	eBeam Edge stylus with built-in mouse functions
Battery type	1 AAA battery
Battery life	90 hours of writing time
Low battery monitor	Yes
Power supply	Yes, via USB and power cord
Cable to computer	4.5 meter
Max. active board area	1.50 m 2.40 m
Min. active board area	0.28 m x 0.43 m
Supported file formats	JPEG, TIFF, HTML, PDF, Vector PDF, EPS, BMP, WBD, swf
Calibration	9 point calibration
Computer connection	USB
Meeting notes import	Yes
Internet meeting server	Yes
Internet protocol	default via port 80- can be customized
Max. users for LAN/internet	10/25 (more if used by Netmeeting)
Hardware guarantee	2 years warranty

	Ref.no.
eBeam Engage with US keyboard	7-169100
eBeam Engage with German keyboard	7-169200

System requirements:

- **Windows®**
  - XP, Vista, Windows 7
  - Pentium IV Processor 1.4GHz, 1 GB RAM
  - 200 MB of available disk space recommended
  - CD/DVD ROM drive or internet connection recommended
  - Available USB port

- **Macintosh®**
  - OS 10.5 or higher recommended
  - PowerPC/Intel, 400MHz, 1 GB RAM
  - 200 MB of available disk space recommended
  - CD/DVD ROM drive or internet connection recommended
  - Available USB port



- Grab your audiences attention with an extremely large interactive solution
- Get big ideas across more clearly
- Work with multiple images and applications on one interactive wall

Infowall

- Completely set-up super-size interactive whiteboard
- Seamless, high resolution, multi projector image, ideal for command and control applications
- Perfect for use in large board rooms, auditoria and interactive control rooms
- See images life-like sizes and make annotations
- The 4 meter wide Legamaster PROFESSIONAL Hybrid board can also be used with normal board markers, using Legamaster accessories
- Collaborate with a team on distance with the online meeting tool to share and present images and ideas
- Show all important information side by side for bigger impact
- Save all information from large scale interactive space and save all digital information from the large scale interactive whiteboard

VIOSO® PRESENTER MULTI™

VIOSO Presenter Multi™ is the most user friendly application on the market for creating seamless scalable, high resolution displays utilizing up to three projectors. Using VIOSO's patented camera technology compound displays can be realised in minutes with outstanding quality

VIOSO Presenter Multi™ is designed for use in control- and conference rooms, shows, gaming, interactive signage and any application that needs scalable and flexible high resolution displays



Dimensions	Width	Height	Depth
Infowall	4000 mm	1200 mm	27 mm

Comes complete with:

- 4 meter wide Legamaster PROFESSIONAL Hybrid board. Write and erase with normal board markers using Legamaster accessories
- 3 NEC U300 projectors, including Legamaster wall brackets
- eBeam infowall package with software and 3 eBeam Edge units at the top of the board
- Legamaster offers a 25 year guarantee on the board surface when used in combination with Legamaster accessories
- Windows 7 based Multimedia-PC (mid-tower) with all hardware requirements needs to ensure excellent image performance
- VIOSO Blending software
- Full HD USB camera including USB-extension
- Installation of the softedge blending software on site by the Vioso experts
- Including support for blending solution for 1 year via remote access, max. 5 incidents

System requirements:

- PC with Microsoft Windows 7® Home Premium or better (32 and 64 bit)
- Intel Core i7 6GB recommended
- Windows 7® compatible live camera (not included)
- Triple head graphics card (e.g. ATI FirePro V7800)

Infowall

	Ref.no.
Infowall	7-169300

Please contact your Legamaster dealer for more information

- Spare pen for the eBeam Edge, e-Board interactive as of 2010
- Ergonomic eBeam Edge Stylus
- Length 14.5 cm

eBeam Edge stylus

The interactive stylus sends an ultrasonic (does not affect peripheral apparatus) to the sensor in the board. The sensor scans the board surface continuously, enabling it to determine the precise position of the pen

	Ref.no.
eBeam Edge Stylus	7-164200

eBeam Projection stylus

Spare pen for the eBeam Projection and the e-Board interactive 2004-2009

	Ref.no.
eBeam Edge Stylus	7-166000

- Use the features of the Interactive Tool Palette and Scrapbook software from anywhere in a conference room, classroom, or large meeting space
- The tablet acts like a wireless mouse. Users can launch, navigate and work within any application on their computer, make handwritten annotations, or navigate the Internet without having to stand at the board
- Shortcut keys with the most frequently used eBeam / e-Board software tools
- Simultaneous mouse functionality allows synchronous input by two users – one on the tablet, one on the Interactive whiteboard with the stylus
- The tablet is lightweight and compact for efficient desktop and program navigation and input
- Mobile nature promotes interaction between presenters and audience, teachers and students

PROFESSIONAL e-Tablet

Wireless

Connection Type	Wireless 2.4G RF
Range	10 m
Dimension	278 x 282 x 20 mm
Active Area	19.9 x 15.0 cm
Resolution	2000 Lpi
Macro Keys	16 programmed keys to access frequently used eBeam Tool Palette items
Hot Keys	Page up, page down, volume
Battery Type (Tablet):	Rechargeable Nokia BL5C Li-ion

Battery Life (Tablet)	25 hours
Battery Charging (Tablet)	Via Standard USB
Receiver	USB Dongle (can be stored in tablet)
Operating system	Microsoft Windows® 2000/XP/ Vista/Windows® 7
Pen Pressure	1024 levels
Pen Button Function	Left-click, Right-click, Hide / Show eBeam Tool Palette
Pen Battery Requirement	1 AAA
Weight (with battery):	612 g (1.22 lbs)

	Ref.no.
PROFESSIONAL e-Tablet	7-166900

System requirements:

- Windows® 2000, XP, Vista, Windows® 7 with powered USB port CD-ROM drive

- Unit Weight: 1.82 kg
- Base Dimension: 18 x 18 cm
- Lens: 6 mm glass
- Neck Length: 51 cm
- Focal Distance: 6 mm to infinity
- Head Type: Swivel
- Resolution: 1280 x 960 x SXGA
- Connection: pre-attached 1.52 m USB Cable (USB 2.0)

e-Visualizer

- View and digitize real-world material instantly and import the content directly into eBeam / e-Board Scrapbook Software
- Capture snapshots or video of text, physical objects and people
- The e-Visualizer plugs directly into your computer's USB 2.0 port and makes adding high-quality images and video into your lesson or presentation quick and easy
- No additional power supply needed
- Extra-long flexible gooseneck arm

	Ref.no.
e-Visualizer	7-166700

- LiveWire contains eBeam Interact Software
- Plug-and-play
- Upgrade ready

LiveWire

As quick as an eBeam can turn any regular whiteboard into an interactive whiteboard, eBeam LiveWire can turn any PC into an eBeam or e-Board ready computer

Simply connect your eBeam or e-Board USB cable to any PC via LiveWire and run eBeam software directly from the cable - no downloading or installing necessary Workspace software is delivered with LiveWire. With LiveWire, the software can be used without installation on the computer

	Ref.no.
LiveWire for education	7-166400
LiveWire for business	7-169400

Minimum system requirements:

- Windows 2000, XP, Vista OS
- Intel Atom processor 1.60GHz
- 1GB RAM
- Available USB port



eBeam Capture pack

- Accessory kit to make from your eBeam Projection an eBeam Capture
- Write with whiteboard markers in electronic sleeves
- Capture your notes digitally
- No projector needed

	Ref.no.
eBeam Capture pack	7-166300

eBeam Capture markers

- Set of markers in 4 colours: black, red, blue and green

	Ref.no.
eBeam Capture markers	7-166094

- For use with eBeam Capture

Tip:

Stroke width:
approx.
1.5 – 3.0 mm

- Electronic whiteboard with one writing surface
- The copyboard is always delivered with a stand, but can also be wall mounted
- The stand is height adjustable in three positions: 1770, 1870 and 1970 mm
- Copyboard supports both inkjet and laser printers (Printer is not included in the delivery)
- USB Flash Memory stick is compatible with all personal computers. An USB Flash Memory stick is not included in the delivery
- Weight: without printer; including stand: 39 kgs
- Includes USB cable

PROFESSIONAL Copyboard

- The copyboard provides a simple solution which allows to obtain a hard copy of notes written on a whiteboard
- LED Light source provides for environmentally friendly low power consumption and quick start time
- A security feature helps remind to erase the proprietary writings/drawings on the scrolled surface of the Copyboard that may be read by a third party
- Due to Colour mode restriction, colour prints and colour images saving can be disabled for cost saving and environmental reasons
- You can set the paper size, Time Day Stamp, Header & Footer from your PC. With this added information hardcopy paper prints help when organizing and filing meeting minutes
- It is very easy to connect the Copyboard to your PC via a USB cable connection. Once the software is installed the Copyboard instantly recognizes when it is connected via a USB cable.
- Two ways to output handwritten notes:
  - USB stick: store information without connecting to a PC. After inserting the stick in the USB port on the control panel, the memory button saves the image drawn on the board to the stick. Data can later be transferred to a PC for immediate viewing / editing
  - Printer: present an audience with an exact (colour) copy of what has been written on the board
- Saving as PNG file, JPEG and PDF file formats
- Mobility: The stand with rolling castors makes it easy to move the PROFESSIONAL copyboard
- Simple fingertip operation



JPEG PDF PNG



- Size including stand: W 1470 mm x D 700 mm x H 1970 mm
- Panel size: W 1300 mm x H 920 mm
- Readable area: W 1280 mm x H 900 mm
- Grid size: 50 x 50 mm

Dimensions	Width	Height	Depth
Copyboard	1470 mm	1970 mm	700 mm

- **Compatible printers are:**
  Inkjet:
  - HP PCL3e/PCL 3 GUI/LIDIL, LEXMARK
  - Z2300/2320, EPSON Proprietary
  - Language Compatible

  Laser:
  - SAMSUNG Printer Language (SPL) Compatible

PROFESSIONAL Copyboard

	Ref.no.
PROFESSIONAL Copyboard	7-160300

One-stop shop for performance and know-how.

As a powerful brand within the edding Group, LEGAMASTER is the No.1 choice when it comes to modern, eye-catching visualisation and presentation. Be it in lessons, at seminars, at conferences or in meetings: with a large range of interactive media, flipcharts, whiteboards, pinboards, moderation equipment, planning aids, presentation and display systems and accessories for bold writing and drawing, LEGAMASTER offers all manner of possibilities.

Legamaster International B.V.
Kwinkweerd 62 · Postbus 111 · 7240 AC Lochem
tel.: (+31) (0)573 - 71 30 00 · fax: (+31) (0)573 - 71 30 01
email: info@legamaster.com · internet: www.legamaster.com

Legamaster
We make communication visible

edding®

984967000 / EN